

# Package: rebus.numbers (via r-universe)

November 4, 2024

**Title** Numeric Extensions for the 'rebus' Package

**Version** 0.0-1

**Date** 2015-12-16

**Author** Richard Cotton [aut, cre]

**Maintainer** Richard Cotton <richierocks@gmail.com>

**Description** Build regular expressions piece by piece using human readable code. This package contains number-related functionality, and is primarily intended to be used by package developers.

**Depends** R (>= 3.1.0)

**Imports** rebus.base, utils

**Suggests** testthat

**License** Unlimited

**LazyLoad** yes

**LazyData** yes

**Roxygen** list(wrap = FALSE)

**Acknowledgments** Development of this package was partially funded by the Proteomics Core at Weill Cornell Medical College in Qatar <<http://qatar-weill.cornell.edu>>. The Core is supported by 'Biomedical Research Program' funds, a program funded by Qatar Foundation.

**RoxygenNote** 5.0.1

**Collate** 'imports.R' 'number\_range.R' 'roman.R'

**Repository** <https://richierocks.r-universe.dev>

**RemoteUrl** <https://github.com/richierocks/rebus.numbers>

**RemoteRef** HEAD

**RemoteSha** 721599e9b44e0a99fe3f611f7846f9277b34c1b7

## Contents

|                        |          |
|------------------------|----------|
| number_range . . . . . | 2        |
| roman . . . . .        | 3        |
| <b>Index</b>           | <b>4</b> |

---

|              |   |
|--------------|---|
| number_range | <i>Generate a regular expression for a number range</i> |
|--------------|---|

---

## Description

Generates a regular expression that matches a sequence of numbers.

## Usage

```
number_range(lo, hi, allow_leading_zeroes = FALSE, capture = FALSE)
```

## Arguments

|                      |  |
|----------------------|--|
| lo                   | An integer.  |
| hi                   | An integer greater than or equal to lo.  |
| allow_leading_zeroes | A logical value. Are leading zeroes allowed to bulk the match up to the length of the number with the most digits? |
| capture              | A logical value. See <a href="#">or</a> for details.   |

## Value

A character vector representing part or all of a regular expression.

## Examples

```
number_range(0, 255)
number_range(0, 255, allow_leading_zeroes = TRUE)
number_range(10000, 19999)
number_range(6, 54321)
number_range(-77, 77)
number_range(-77, 77, capture = TRUE)
number_range(-77, 77, capture = NA)
```

---

|       |                       |
|-------|-----------------------|
| roman | <i>Roman numerals</i> |
|-------|-----------------------|

---

**Description**

Match roman numerals.

**Usage**

```
ROMAN
```

```
roman(lo, hi)
```

**Arguments**

|    |  |
|----|--|
| lo | A non-negative integer. Minimum number of repeats, when grouped. |
| hi | positive integer. Maximum number of repeats, when grouped.       |

**Format**

An object of class regex (inherits from character) of length 1.

**See Also**

[as.roman](#)

**Examples**

```
# Constant form and character class
ROMAN
roman()

x <- c("MMMDCCCXLVIII", "MMCMDCCLXIV")
rx <- rebus.base::exactly(roman())
grepl(rx, x)
```

# Index

\* **datasets**

roman, 3

as.roman, 3

number\_range, 2

or, 2

ROMAN (roman), 3

roman, 3